




نام محصول	قطر داخل d	قطر بیرون D	ارتفاع B	وزن	نرخ بار دینامیک (C)	نرخ بار استاتیکی (C0)	حد بار خستگی (Pu)	نرخ حد سرعت
	mm	mm	mm	kg	kN	kN	kN	r/min
NU 202	15	35	11	0.047	12.5	10.2	1.22	26000
N 203	17	40	12	0.066	17.2	14.3	1.73	22000
NU 2203	17	40	16	0.087	23.8	21.6	2.65	22000
N 303	17	47	14	0.12	24.6	20.4	2.55	20000
N 204	20	47	14	0.11	25.1	22	2.75	19000
NU 2204	20	47	18	0.14	29.7	27.5	3.45	19000
N 304	20	52	15	0.15	35.5	26	3.25	18000
NU 2304	20	52	21	0.21	47.5	38	4.8	18000
NU 1005	25	47	12	0.083	14.2	13.2	1.4	18000
N 205	25	52	15	0.13	28.6	27	3.35	16000
NU 2205	25	52	18	0.16	34.1	34	4.25	16000
N 305	25	62	17	0.24	46.5	36.5	4.55	15000
NU 2305	25	62	24	0.34	64	55	6.95	15000
NU 1006	30	55	13	0.12	17.9	17.3	1.86	15000
N 206	30	62	16	0.2	44	36.5	4.55	14000
NU 2206	30	62	20	0.26	55	49	6.1	14000
N 306	30	72	19	0.36	58.5	48	6.2	12000
NU 2306	30	72	27	0.53	83	75	9.65	12000
NU 406	30	90	23	0.75	60.5	53	6.8	11000
NU 1007	35	62	14	0.16	35.8	38	4.55	13000
N 207	35	72	17	0.3	56	48	6.1	12000
NU 2207	35	72	23	0.4	69.5	63	8.15	12000
N 307	35	80	21	0.48	75	63	8.15	11000
NU 2307	35	80	31	0.72	106	98	12.7	11000
NU 407	35	100	25	1	76.5	69.5	9	9500
NU 1008	40	68	15	0.23	25.1	26	3	18000
N 208	40	80	18	0.37	62	53	6.7	11000
NU 2208	40	80	23	0.49	81.5	75	9.65	11000




N 308	40	90	23	0.65	93	78	10.2	9500
NU 2308	40	90	33	0.94	129	120	15.3	9500
NU 408	40	110	27	1.25	96.8	90	11.6	8500
NU 1009	45	75	16	0.26	44.6	52	6.3	11000
N 209	45	85	19	0.43	69.5	64	8.15	9500
NU 2209	45	85	23	0.52	85	81.5	10.6	9500
N 309	45	100	25	0.88	112	100	12.9	8500
NU 2309	45	100	36	1.3	160	153	20	8500
NU 409	45	120	29	1.64	106	102	13.4	7500
NU 1010	50	80	16	0.27	46.8	56	6.7	9500
N 210	50	90	20	0.48	73.5	69.5	8.8	9000
NU 2210	50	90	23	0.56	90	88	11.4	9000
N 310	50	110	27	1.14	127	112	15	8000
NU 2310	50	110	40	1.73	186	186	24.5	8000
NU 410	50	130	31	2	130	127	16.6	7000
NU 1011	55	90	18	0.39	57.2	69.5	8.3	8500
N 211	55	100	21	0.66	96.5	95	12.2	8000
NU 2211	55	100	25	0.79	114	118	15.3	8000
N 311	55	120	29	1.45	156	143	18.6	7000
NU 2311	55	120	43	2.2	232	232	30.5	7000
NU 411	55	140	33	2.5	142	140	18.6	6300
NU 1012	60	95	18	0.48	37.4	44	5.3	11000
N 212	60	110	22	0.8	108	102	13.4	7500
NU 2212	60	110	28	1.05	146	153	20	7500
N 312	60	130	31	1.8	173	160	20.8	6700
NU 2312	60	130	46	2.75	260	265	34.5	6700
NU 412	60	150	35	3	168	173	22	6000
NU 1013	65	100	18	0.45	62.7	81.5	9.8	7500
N 213	65	120	23	1.05	122	118	15.6	6700
NU 2213	65	120	31	1.4	170	180	24	6700
N 313	65	140	33	2.2	212	196	25.5	6000
NU 2313	65	140	48	3.2	285	290	38	6000
NU 413	65	160	37	3.6	183	190	24	5600




NU 1014	70	110	20	0.62	76.5	93	12	7000
N 214	70	125	24	1.15	137	137	18	6300
NU 2214	70	125	31	1.5	180	193	25.5	6300
N 314	70	150	35	2.7	236	228	29	5600
NU 2314	70	150	51	3.9	315	325	41.5	5600
NU 414	70	180	42	5.35	229	240	30	5000
NU 1015	75	115	20	0.75	58.3	71	8.5	10000
N 215	75	130	25	1.2	150	156	20.4	6000
NU 2215	75	130	31	1.6	186	208	27	6000
N 315	75	160	37	3.3	280	265	33.5	5300
NU 2315	75	160	55	4.8	380	400	50	5300
NU 415	75	190	45	6.2	264	280	34	4800
NU 1016	80	125	22	1	66	81.5	10.4	6300
N 216	80	140	26	1.55	160	166	21.2	5600
NU 2216	80	140	33	2	212	245	31	5600
N 316	80	170	39	3.9	300	290	36	5000
NU 2316	80	170	58	5.85	415	440	55	5000
NU 416	80	200	48	7.3	303	320	39	4500
NU 1017	85	130	22	1.05	68.2	86.5	10.8	9000
N 217	85	150	28	1.9	190	200	24.5	5300
NU 2217	85	150	36	2.5	250	280	34.5	5300
N 317	85	180	41	4.55	340	335	41.5	4800
NU 2317	85	180	60	6.85	455	490	60	4800
NU 417	85	210	52	9.7	319	335	39	4300
NU 1018	90	140	24	1.35	80.9	104	12.7	8500
N 218	90	160	30	2.3	208	220	27	5000
NU 2218	90	160	40	3.15	280	315	39	5000
N 318	90	190	43	5.3	365	360	43	4500
NU 2318	90	190	64	8	500	540	65.5	4500
NU 418	90	225	54	11.5	380	415	48	4000
NU 1019	95	145	24	1.45	84.2	110	13.2	8000
N 219	95	170	32	2.85	255	265	32.5	4800
NU 2219	95	170	43	3.8	325	375	45.5	4800




N 319	95	200	45	6.2	390	390	46.5	4300
NU 2319	95	200	67	9.35	530	585	69.5	4300
NU 419	95	240	55	13.5	413	455	52	3600
NU 1020	100	150	24	1.45	85.8	114	13.7	7500
N 220	100	180	34	3.45	285	305	36.5	4500
NU 2220	100	180	46	4.75	380	450	54	4500
N 320	100	215	47	7.5	450	440	51	3800
NU 2320	100	215	73	12	670	735	85	3800
NU 420	100	250	58	14	429	475	53	3600
NU 1021	105	160	26	1.9	101	137	16	7500
N 221	105	190	36	3.95	300	315	36.5	4300
N 321	105	225	49	8.6	500	500	57	3800
NU 421	105	260	60	19	501	570	64	3400
NU 1022	110	170	28	2.35	128	166	19.3	7000
N 222	110	200	38	4.8	335	365	42.5	4000
NU 2222	110	200	53	6.7	440	520	61	4000
N 322	110	240	50	10.2	530	540	61	3400
NU 2322	110	240	80	17	780	900	102	3400
NU 422	110	280	65	20	532	585	64	3200
NU 1024	120	180	28	2.55	134	183	20.8	6300
N 224	120	215	40	5.75	390	430	49	3600
NU 2224	120	215	58	8.3	520	630	72	3600
N 324	120	260	55	13	610	620	69.5	3200
NUP 2324	120	260	86	24	915	1040	116	4300
NU 424	120	310	72	28	644	735	78	2800
NU 1026	130	200	33	3.85	165	224	25	5600
N 226	130	230	40	6.3	415	455	51	3400
NU 2226	130	230	64	10.3	610	735	83	3400
N 326	130	280	58	16	720	750	81.5	3000
NU 2326	130	280	93	30	1060	1250	137	3800
NU 1028	140	210	33	4.05	172	245	27	5300
NU 228	140	250	42	9	450	510	57	3200
NU 2228	140	250	68	15	655	830	93	4800




NU 328	140	300	62	22	780	830	88	2800
NU 2328	140	300	102	37	1200	1430	150	3600
NU 1030	150	225	35	4.9	194	275	30	5000
NU 230	150	270	45	11.8	510	600	64	2800
NU 2230	150	270	73	18.5	735	930	100	2800
NU 330	150	320	65	26.3	900	965	100	2600
NU 2330	150	320	108	45.5	1370	1630	166	3400
NNC 4830 (SL014830)	150	190	40	2.9	255	585	60	1800
NCF 3004 (SL18 3004)	20	42	16	0.11	28.1	28.5	3.1	10000
NNCF 5004 (SL18 5004)	20	42	30	0.2	52.3	57	6.2	10000
NCF 3005 (SL18 3005)	25	47	16	0.12	31.9	35.5	3.8	9000
NNCF 5005 (SL18 5005)	25	47	30	0.23	59.4	71	7.65	9000
NJG 2305 (SL19 2305)	25	62	24	0.38	68.2	68	8.5	5600
NCF 3006 (SL18 3006)	30	55	19	0.2	39.6	44	5	7500
NNCF 5006 (SL18 5006)	30	55	34	0.35	73.7	88	10	7500
NJG 2306 (SL19 2306)	30	72	27	0.56	84.2	86.5	11	4800
NCF 3007 (SL18 3007)	35	62	20	0.26	48.4	56	6.55	6700
NNCF 5007 (SL18 5007)	35	62	36	0.46	89.7	112	12.9	6700
NJG 2307 (SL19 2307)	35	80	31	0.75	108	114	14.3	4300
NCF 3008 (SL18 3008)	40	68	21	0.31	57.2	69.5	8.15	6000
NNCF 5008 (SL18 5008)	40	68	38	0.56	106	140	16.3	6000
NJG 2308 (SL19 2308)	40	90	33	1	145	156	20	3600
NCF 3009 (SL18 3009)	45	75	23	0.4	60.5	78	9.15	5300
NNCF 5009 (SL18 5009)	45	75	40	0.71	112	156	18.3	5300
NJG 2309 (SL19 2309)	45	100	36	1.45	172	196	25.5	3400
NCF 3010 (SL18 3010)	50	80	23	0.43	76.5	98	11.8	5000
NNCF 5010 (SL18 5010)	50	80	40	0.76	142	196	23.6	5000
NCF 3011 (SL18 3011)	55	90	26	0.64	105	140	17.3	4300
NNCF 5011 (SL18 5011)	55	90	46	1.16	190	280	34.5	4300
NJG 2311 (SL19 2311)	55	120	43	2.3	233	260	33.5	2800
NCF 2912 (SL18 2912)	60	85	16	0.29	55	80	9.15	4500
NNC 4912 (SL014912)	60	85	25	0.49	78.1	137	14.3	4500
NCF 3012 (SL18 3012)	60	95	26	0.69	106	146	18.3	4000



NNCF 5012 (SL18 5012)	60	95	46	1.24	198	300	36.5	4000
NCF 2913 (SL18 2913)	65	90	16	0.31	58.3	88	10.2	4000
NCF 3013 (SL18 3013)	65	100	26	0.73	112	163	20	3800
NNCF 5013 (SL18 5013)	65	100	46	1.32	209	325	40	3800
NJG 2313 (SL19 2313)	65	140	48	3.55	303	360	46.5	2400
NCF 2914 (SL18 2914)	70	100	19	0.49	76.5	116	13.7	3800
NNC 4914 (SL014914)	70	100	30	0.78	114	193	22.4	3800
NCF 3014 (SL18 3014)	70	110	30	1.02	128	173	22.4	3600
NNCF 5014 (SL18 5014)	70	110	54	1.85	238	345	45	3600
NJG 2314 (SL19 2314)	70	150	51	4.4	336	400	50	2200
NCF 2915 (SL18 2915)	75	105	19	0.52	79.2	125	14.6	3600
NCF 3015 (SL18 3015)	75	115	30	1.06	134	190	24.5	3200
NNCF 5015 (SL18 5015)	75	115	54	1.93	251	380	49	3200
NJG 2315	75	160	55	5.35	396	480	60	2000
NCF 2916 (SL18 2916)	80	110	19	0.55	80.9	132	15.6	3400
NNC 4916 (SL014916)	80	110	30	0.88	121	216	25	3400
NCF 3016 (SL18 3016)	80	125	34	1.43	165	228	29	3000
NNCF 5016 (SL18 5016)	80	125	60	2.59	308	455	58.5	3000
NJG 2316 (SL19 2316)	80	170	58	6.4	457	570	71	1900
NCF 2917 (SL18 2917)	85	120	22	0.81	102	166	20	3200
NCF 3017 (SL18 3017)	85	130	34	1.51	172	236	30	3000
NNCF 5017 (SL18 5017)	85	130	60	2.72	314	475	60	3000
NJG 2317 (SL19 2317)	85	180	60	7.4	484	620	76.5	1800
NCF 2918 (SL18 2918)	90	125	22	0.84	105	176	20.8	3000
NNC 4918 (SL014918)	90	125	35	1.35	161	300	35.5	3000
NCF 3018 (SL18 3018)	90	140	37	1.97	198	280	35.5	2800
NNCF 5018 (SL18 5018)	90	140	67	3.62	369	560	69.5	2800
NJG 2318 (SL19 2318)	90	190	64	8.75	528	670	81.5	1800
NCF 2920 (SL18 2920)	100	140	24	1.14	128	200	24.5	2600
NNC 4920 (SL014920)	100	140	40	1.95	209	400	46.5	2600
NCF 3020 (SL18 3020)	100	150	37	2.15	209	310	37.5	2600
NNCF 5020 (SL18 5020)	100	150	67	3.94	391	620	75	2600
NJG 2320 (SL19 2320)	100	215	73	13	682	865	104	1500



NNC 4922 (SL014922)	110	150	40	2.15	220	430	49	2400
NNCF 5022 (SL18 5022)	110	170	80	6.32	512	800	95	2200
NNC 4924 (SL014924)	120	165	45	2.95	242	480	53	2200
NNCF 5024 (SL18 5024)	120	180	80	6.77	539	880	104	2000
NNC 4926 (SL014926)	130	180	50	3.95	275	530	60	2000
NNCF 5026 (SL18 5026)	130	200	95	10.2	765	1250	143	1900
NNC 4928 (SL014928)	140	190	50	4.2	286	570	63	1900
NNCF 5028 (SL18 5028)	140	210	95	11.1	809	1370	156	1800
NNC 4930 (SL014930)	150	210	60	6.65	429	830	91.5	1700
NNCF 5030 (SL18 5030)	150	225	100	13.3	842	1430	160	1700
NNC 4832 (SL014832)	160	200	40	3.1	260	610	62	1700
NNC 4932 (SL014932)	160	220	60	7	446	915	96.5	1600
NNCF 5032 (SL18 5032)	160	240	109	16.2	952	1600	180	1500
NNC 4834 (SL014834)	170	215	45	4.1	286	655	65.5	1600
NNC 4934 (SL014934)	170	230	60	7.35	457	950	100	1500
NNCF 5034 (SL18 5034)	170	260	122	23	1230	2120	236	1400
NNC 4836 (SL014836)	180	225	45	4.3	297	695	69.5	1500
NNC 4936 (SL014936)	180	250	69	10.8	594	1220	127	1400
NNCF 5036 (SL18 5036)	180	280	136	30.5	1420	2500	270	1300
NNC 4838 (SL014838)	190	240	50	5.65	330	750	76.5	1400
NNC 4938 (SL014938)	190	260	69	11.2	605	1290	132	1400
NNCF 5038 (SL18 5038)	190	290	136	31.5	1470	2600	280	1300
NNC 4840 (SL014840)	200	250	50	5.9	336	800	80	1400
NNC 4940 (SL014940)	200	280	80	15.8	704	1500	153	1300
NNCF 5040 (SL18 5040)	200	310	150	41	1680	3050	320	1200
NNC 4844 (SL014844)	220	270	50	6.4	352	865	85	1200
NNC 4944 (SL014944)	220	300	80	17.2	737	1600	160	1200
NNCF 5044 (SL18 5044)	220	340	160	52.5	2010	3600	375	1100
NNC 4848 (SL014848)	240	300	60	10	539	1290	125	1100
NNC 4948 (SL014948)	240	320	80	18.5	781	1760	173	1100
NNCF 5048 (SL18 5048)	240	360	160	56	2120	3900	400	1000
NNC 4852 (SL014852)	260	320	60	11	561	1400	132	1000
NNC 4952 (SL014952)	260	360	100	32	1170	2550	245	950



NNCF 5052 (SL18 5052)	260	400	190	85.5	2860	5100	500	900
NNC 4856 (SL014856)	280	350	69	16	737	1860	173	950
NNC 4956 (SL014956)	280	380	100	34	1210	2700	255	900
NNCF 5056 (SL18 5056)	280	420	190	90.5	2920	5300	520	850
NNC 4860 (SL014860)	300	380	80	23	858	2120	196	850
NNC 4960 (SL014960)	300	420	118	53	1680	3750	355	800
NNCF 5060 (SL18 5060)	300	460	218	130	3250	6550	600	750